

# ALFOL® 1218EBAA Alcohol

## Technical Data Sheet

SASOL  
reaching new frontiers



### Description

Sasol North America's ALFOL® 1218EBAA Alcohol is high purity petrochemical-based linear primary alcohol with even-numbered carbon chain length. ALFOL® 1218EBAA Alcohol is a blend of alcohols with carbon chain length ranging from C12 to C18. It is a colorless liquid with a sweet pungent odor. ALFOL® 1218EBAA Alcohol is classified as rapidly biodegradable in standard ready biodegradability tests.

Sasol's ALFOL® Alcohols are physically and chemically equivalent to corresponding oleochemical-based alcohols derived from such sources as coconut oil or palm oil.

### Applications

ALFOL® 1218EBAA Alcohol can be used as a high purity feedstock for all of the chemical reactions in which primary alcohols are routinely employed. ALFOL® 1218EBAA Alcohol can be esterified, ethoxylated, propoxylated, sulfated, oxidized, etc. In addition, ALFOL® 1218EBAA Alcohol can be used directly in numerous personal care and technical formulations.

### Contact Information

For technical information:

#### Sasol North America

Product Steward

2201 Old Spanish Trail

Westlake, Louisiana 70669

Telephone: (337)494-4133

Fax: (281)368-0819

[TDS.ProductSteward@us.sasol.com](mailto:TDS.ProductSteward@us.sasol.com)

For sales and pricing information contact a sales representative at:

#### Sasol North America

900 Threadneedle

Houston, TX 77079-2990

Telephone: (281)588-3000

Fax: (281)368-1531

[info@us.sasol.com](mailto:info@us.sasol.com)

### Properties

Typical physical properties are listed in the table below. Actual properties will vary from lot to lot.

Typical Properties	ALFOL® 1218EBAA
Average Molecular Wt.	214
Total Alcohol, wt. %	≥98
Homolog Distribution, wt. %	
C10 and Lower	≤1
C12OH	50 -58
C14OH	20 - 26
C16OH	9 - 11
C18OH	10 - 13
C20OH and Higher	1.3
Water, wt. %	<0.1
Hydroxyl Number, mg KOH/g	262 - 279
Carbonyl, C=O, ppm	250
Acid Number	<1
Iodine Number	<1
Saponification Number	<1
Color, APHA	<40
Density, @ 20°C	0.8281
Flash Point, °C, (°F)	135 (275)
Melting Range, °C, (°F)	20-23 (68-73)
Boiling Range, °C, (°F)	274-349 (525-660)
Viscosity, cSt @ 40°C	14.14
Appearance	Clear colorless liquid
Vapor Pressure, mmHg @ 21 °C	<0.1

ALFOL is a registered trademark of Sasol North America Inc.

The preceding data is based on tests and experience, which Sasol North America believes reliable, and is supplied for informational purposes only. Sasol North America expressly disclaims any liability whatsoever for damage or injury which results from the use of the preceding data and nothing contained therein shall constitute a guarantee, warranty, or representation (including freedom from patent liability) by Sasol North America with respect to the data, the product described, or its fitness for use for any specific purpose, even if that purpose is known to Sasol North America.

For detailed safety and handling information regarding these products, please refer to the respective Sasol North America Material Safety Data Sheet.

11/29/12